OHIO COUNTY REPORT OF ENDANGERED, THREATENED, AND SPECIAL CONCERN PLANTS, ANIMALS, AND NATURAL COMMUNITIES OF KENTUCKY

PRESERVES COMMISSION 801 SCHENKEL LANE FRANKFORT, KY 40601 (502) 573-2886 (phone) (502) 573-2355 (fax)

www.naturepreserves.ky.gov

Kentucky State Nature Preserves Commission Key for County List Report

Within a county, elements are arranged first by taxonomic complexity (plants first, natural communities last), and second by scientific name. A key to status, ranks, and count data fields follows.

STATUS

KSNPC: Kentucky State Nature Preserves Commission status:

USESA: U.S. Fish and Wildlife Service status:

SOMC = Species of Management Concern

RANKS

GRANK: Estimate of element abundance on a global scale:

G1 = Critically imperiled GU = Unrankable

G2 = Imperiled G#? = Inexact rank (e.g. G2?)
G3 = Vulnerable G#Q = Questionable taxonomy

G4 = Apparently secure G#T# = Infraspecific taxa (Subspecies and variety abundances are coded with a 'T' suffix; the 'G'

G5 = Secure portion of the rank then refers to the entire species)

GH = Historic, possibly extinct GNR = Unranked GX = Presumed extinct GNA = Not applicable

SRANK: Estimate of element abundance in Kentucky:

S1 = Critically imperiled SU = Unrankable Migratory species may have separate ranks for different

S2 = Imperiled S#? = Inexact rank (e.g. G2?) population segments (e.g. S1B, S2N, S4M):

S3 = Vulnerable S#Q = Questionable taxonomy S#B = Rank of breeding population
S4 = Apparently secure S#T# = Infraspecific taxa S#N = Rank of non-breeding population
S5 = Secure SNR = Unranked S#M = Rank of transient population

SH = Historic, possibly extirpated SNA = Not applicable

SX = Presumed extirpated

COUNT DATA FIELDS

OF OCCURRENCES: Number of occurrences of a particular element from a county. Column headings are as follows:

- E currently reported from the county
- H reported from the county but not seen for at least 20 years
- F reported from county & cannot be relocated but for which further inventory is needed
- X known to be extirpated from the county
- U reported from a county but cannot be mapped to a quadrangle or exact location.

The data from which the county report is generated is continually updated. The date on which the report was created is in the report footer. Contact KSNPC for a current copy of the report.

Please note that the quantity and quality of data collected by the Kentucky Natural Heritage Program are dependent on the research and observations of many individuals and organizations. In most cases, this information is not the result of comprehensive or site-specific field surveys; many natural areas in Kentucky have never been thoroughly surveyed, and new species of plants and animals are still being discovered. For these reasons, the Kentucky Natural Heritage Program cannot provide a definitive statement on the presence, absence, or condition of biological elements in any part of Kentucky. Heritage reports summarize the existing information known to the Kentucky Natural Heritage Program at the time of the request regarding the biological elements or locations in question. They should never be regarded as final statements on the elements or areas being considered, nor should they be substituted for on-site surveys required for environmental assessments.

KSNPC appreciates the submission of any endangered species data for Kentucky from field observations. For information on data reporting or other data services provided by KSNPC, please contact the Data Manager at:

Kentucky State Nature Preserves Commission 801 Schenkel Lane Frankfort, KY 40601 phone: (502) 573-2886 fax: (502) 573-2355

email: naturepreserves@ky.gov internet: www.naturepreserves.ky.gov

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky Kentucky State Nature Preserves Commission

County	Taxonomic Group	Scientific name	Common name	Statuses	Ranks		# of	Occ	urren	ices
	Habitat					Е	Н	F	Χ	U
Ohio	Vascular Plants Bottomlands and floodplain swamp	Carya aquatica os.	Water Hickory	Т/	G5 / S2S3	1	1	0	0	0
Ohio	Vascular Plants Swamps and wet woods.	Ptilimnium costatum	Eastern Mock Bishop's-weed	H /	G3G4 / SH	0	1	0	0	0
Ohio	Vascular Plants Prairies and disturbed openings eit	Trifolium reflexum ther associated with forests or opportunistically in fields	Buffalo Clover or well-drained sites.	E/	G3G4 / S1S2	0	2	0	0	0
Ohio		Cyprogenia stegaria IND RIVERS WITH MODERATE TO STRONG CURRE ALIE 1944, NEEL AND ALLEN 1964, PARMALEE 1967			G1 / S1 DM SHALLOW TO DEE	2 ≣P (1	0	0	0
Ohio	Freshwater Mussels INHABITS MEDIUM TO LARGE R CLARK 1914).	<i>Epioblasma obliquata obliquata</i> IVERS IN RIFFLES, SHOALS, AND/OR DEEP WATER	Catspaw R IN SWIFT CURRENT (BOGAN AND PARMA	E / LE LEE 1983, PARMALI	G1T1 / S1 EE 1967, WILSON AND	0	1	0	0	0
Ohio	Freshwater Mussels GRAVEL BARS AND DEEP POOL ALLEN 1964, PARMALEE 1967).	Fusconaia subrotunda subrotunda .S IN LARGE RIVERS AND LARGE TO MEDIUM-SIZE	Longsolid ED STREAMS (AHLSTEDT 1984, GOODRICH	S / AND VAN DER SCH	G3T3 / S3 ALIE 1944, NEEL AND	1	0	0	0	0
Ohio	Freshwater Mussels INHABITS MEDIUM TO LARGE R PARMALEE ET AT. 1982).	Pleurobema rubrum IVERS AND USUALLY OCCURS IN SAND OR GRAVE	Pyramid Pigtoe EL BOTTOMS IN DEEP WATERS (AHLSTED	E / SOMC T 1984, MURRAY AN	G2 / S1 D LEONARD 1962,	4	1	0	0	0
Ohio	Freshwater Mussels SMALL TO LARGE RIVERS WITH PARMALEE 1983).	Quadrula cylindrica cylindrica SAND, GRAVEL, AND COBBLE AND MODERATE TO	Rabbitsfoot O SWIFT CURRENT, SOMETIMES IN DEEP V	T / SOMC WATER (PARMALEE	G3T3 / S2 1967, BOGAN AND	1	0	0	0	0
Ohio	Freshwater Mussels INHABITS SMALL TO MEDIUM-S	Villosa lienosa IZED RIVERS, USUALLY IN SHALLOW WATER ON A	Little Spectaclecase SAND/MUD/DETRITUS BOTTOM (PARMALE	S / EE 1967, GORDON A	G5 / S3S4 .ND LAYZER 1989).	1	1	0	0	0
Ohio	Fishes LOWLAND LENTIC HABITATS (W STARNES 1993).	Erimyzon sucetta /ETLANDS AND FLOODPLAIN LAKES) WITH SUBME	Lake Chubsucker RGENT AND FLOATING VEGETATION (BUR	T / RR AND WARREN 19	G5 / S2 86, ETNIER AND	1	0	0	0	0
Ohio	Fishes Sandy and silty pools of medium to	Hybopsis amnis large rivers (page and Burr 1991).	Pallid Shiner	E/SOMC	G4 / S1	0	1	0	0	0
Ohio		Ichthyomyzon castaneus and reservoirs. Substrate consists of gravel and rubble ger 1975, Rohde and Lanteigne-Courchere 1980, Scott		S / ear streams with stable	G4 / S2 e bars of silt, sand and	0	1	0	0	0
Ohio	Amphibians CONFINED TO RUNNING WATER	Cryptobranchus alleganiensis alleganiensis RS OF FAIRLY LARGE STREAMS AND RIVERS.	Eastern Hellbender	S/SOMC	G3G4T3T4 / S3	1	0	0	0	0
Ohio	Amphibians IN KENTUCKY, THE SPECIES AF GREEN ASH, AND BUTTONBUSH	Hyla avivoca PPEARS TO BE RESTRICTED TO FLOODPLAIN WET H.	Bird-voiced Treefrog LANDS, ESPECIALLY THOSE DOMINATED I	S / BY BALD CYPRESS,	G5 / S3 WATER TUPELO,	1	0	0	0	0
Ohio	Reptiles Floodplain sloughs, swamps, hard wetlands impacted by acid mine dr	Nerodia erythrogaster neglecta wood forest and adjacent uplands. Seems to do well in ainage (Fide H. Bryan).	Copperbelly Water Snake KDFWR moist soils management units on Slou	S / SOMC ughs WMA, Henderso	G5T2T3 / S3 on Co. Seems to avoid	6	1	0	0	0
Ohio	Reptiles Variety of semi-open habitats, gen	Thamnophis sauritus sauritus erally in weedy or brushy growth along the margins of s	Eastern Ribbon Snake sloughs, marshes and other aquatic habitats.	S/	G5T5 / S3	1	0	0	0	0

Data Current as of February 2006

County Report of Endangered, Threatened, and Special Concern Plants, Animals, and Natural Communities of Kentucky Kentucky State Nature Preserves Commission

County	/ Taxonomic Group	Scientific name	Common name	Statuses	Ranks	# of Occurrences				
	Habitat					E	Н	F	Χ	U
Ohio			Sharp-shinned Hawk OUS, PRIMARILY IN CONIF. IN MORE NORTHERN AND M G RIDGES, LAKESHORES, & COASTLINES (B83NAT01N.		G5 / S3B,S4N TION OF RANGE (B83	1	0	0	0	0
Ohio			Henslow's Sparrow R SHRUBBY VEG., ESPEC. IN DAMP OR LOW-LYING ARE T TO PINE WOODS OR SECOND-GROWTH WOODS.	S / SOMC EAS, ADJACENT TO S	G4 / S3B SALT MARSH IN SOM	1 E	0	0	0	0
Ohio	Breeding Birds	Asio flammeus	Short-eared Owl	E/	G5 / S1B,S2N	1	0	0	0	0
	Open country: Prairie, meadows, t Reported from "forest" habitats in		nes, fields, open woodland. Roosts by day on ground, on lov	v open perch, under lo	ow shrub, or in conifer.					
Ohio	Breeding Birds	Circus cyaneus	Northern Harrier	Τ/	G5 / S1S2B,S4 N	3	0	0	0	0
	MARSHES, MEADOWS, GRASSI MARSHES (B82EVA01NA).	LANDS, AND CULTIVATED FIELDS. PER	RCHES ON GROUND OR ON STUMPS OR POSTS. WINTE	ER ROOSTS IN UNDI	STURBED FIELDS OF	R				
Ohio	Breeding Birds	Gallinula chloropus	Common Moorhen	Τ/	G5 / S1S2B	1	0	0	0	0
	Freshwater marshes, canals, quie	t rivers, lakes, ponds, mangroves, primaril	y in areas of emergent vegetation and grassy borders; taro	patches in HI.						
Ohio	Breeding Birds	Pandion haliaetus	Osprey	T /	G5 / S2B	3	0	0	0	0
	Primarily along rivers, lakes, and s	seacoasts, occurring widely in migration, o	ften crossing land between bodies of water (B83COM01NA)).						
Ohio	Breeding Birds OPEN AND PARTLY OPEN SITU	Riparia riparia ATIONS, FREQUENTLY NEAR FLOWING	Bank Swallow G WATER (B83COM01NA).	S/	G5 / S3B	1	0	0	0	0
Ohio	Breeding Birds	Vireo bellii	Bell's Vireo	S/SOMC	G5 / S2S3B	1	0	0	1	0
			K, IN ARID REGIONS BUT OFTEN NEAR WATER (B83CO EROWS IN CULTIVATED AREAS. OPEN WOODLAND, BR	**	ODLAND,					
Ohio	Mammals	Nycticeius humeralis	Evening Bat	S/	G5 / S3	2	0	0	0	0
	THE EVENING BAT IS A COLON	IAL SPECIES THAT ROOSTS IN TREES	AND HOUSES. IT APPARENTLY MIGRATES SOUTHWAF	RD IN WINTER.						
Ohio	Communities	Acidic mesophytic forest		1	GNR / S5	1	0	0	0	0
Ohio	Communities	Bottomland hardwood forest		1	GNR / S2	1	0	0	1	0

Data Current as of February 2006 Page 5 of 5